

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A method of facilitating a process performed by a semiconductor processing tool, comprising:

inputting a first principles physical model including a set of computer-encoded differential equations, the first principles physical model describing at least one of a basic physical or chemical attribute of the semiconductor processing tool and including 1) a spatially resolved model of a physical geometry of the semiconductor processing tool and 2) a grid set addressing the semiconductor processing tool or a geometry of the semiconductor processing tool;

inputting process data related to an actual process being performed by the semiconductor processing tool;

setting ~~initial and~~ boundary conditions for ~~[[a]]~~ the spatially resolved model of a physical geometry of the semiconductor processing tool based on said process data related to the actual process being performed by the semiconductor processing tool;

storing in a fab-level library known simulation results obtained from simulation modules in a device manufacturing fab and distributing the known simulation results to other semiconductor processing tools in the device manufacturing fab;

solving the computer-encoded differential equations of the first principles ~~simulation~~ physical model for the spatially resolved model concurrently with the actual process being performed and in a time frame shorter in time than the actual process being performed by:

using code parallelization techniques on multiple simulation modules
in the device manufacturing fab, and

re-using known simulation solutions as initial conditions for the first
principles simulation,

wherein re-using known simulation solutions comprises searching in the fab-level library for a closest fitting solution which if used for the initial condition would reduce the number of iterations required by the simulation module;

providing a ~~first principles simulation result~~ from the solution of the computer-encoded differential equations solved concurrently with the actual process being performed a first principles simulation result; and

using the simulation result as part of a data set that characterizes the actual process being performed by the semiconductor processing tool.

Claim 2 (Previously Presented): The method of Claim 1, wherein said inputting process data comprises directly inputting the data relating to the actual process being performed by the semiconductor processing tool from at least one of a physical sensor and a metrology tool physically mounted on the semiconductor processing tool.

Claim 3 (Previously Presented): The method of Claim 1, wherein said inputting process data comprises indirectly inputting the data relating to the actual process being performed by the semiconductor processing tool from at least one of a manual input device and a database.

Claim 4 (Original): The method of Claim 3, wherein said indirectly inputting comprises inputting data recorded from a process previously performed by the semiconductor processing tool.

Claim 5 (Original): The method of Claim 3, wherein said indirectly inputting comprises inputting data set by a simulation operator.

Claim 6 (Previously Presented): The method of Claim 1, wherein said inputting process data comprises inputting the data relating to a process performed by the semiconductor processing tool as virtual sensor data from a simulation module.

Claim 7 (Previously Presented): The method of Claim 1, wherein said inputting process data comprises inputting data relating to at least one of the physical characteristics of the semiconductor processing tool and the semiconductor tool environment.

Claim 8 (Original): The method of Claim 1, wherein said inputting data comprises inputting data relating to at least one of a characteristic and a result of a process performed by the semiconductor processing tool.

Claim 9 (Canceled).

Claim 10 (Original): The method of Claim 1, wherein said inputting a first principles physical model comprises inputting fundamental equations necessary to perform first principles simulation to obtain a simulation result that can form part of a data set that characterizes the process performed by the semiconductor processing tool.

Claim 11 (Canceled).

Claim 12 (Currently Amended): The method of Claim [[11]] 1, wherein said performing first principles simulation comprises performing first principles simulation to provide a simulation result that is a variation of a parameter tested by the concurrent process performed by the semiconductor processing tool.

Claim 13 (Currently Amended): The method of Claim [[11]] 1, wherein said performing first principles simulation comprises performing first principles simulation to provide a simulation result relating to a different parameter than a parameter tested by the concurrent process performed by the semiconductor processing tool.

Claim 14 (Canceled).

Claim 15 (Original): The method of Claim 1, further comprising storing the data set in a library for subsequent use processes performed by the semiconductor processing tool.

Claim 16 (Original): The method of Claim 1, further comprising using a network of interconnected resources to perform at least one of the process steps recited in Claim 1.

Claim 17 (Original): The method of Claim 16, further comprising using code parallelization among interconnected computational resources to share the computational load of the first principles simulation.

Claim 18 (Original): The method of Claim 16, further comprising sharing simulation information among interconnected resources to facilitate a process performed by the semiconductor processing tool.

Claim 19 (Original): The method of Claim 18, wherein said sharing simulation information comprises distributing simulation results among the interconnected resources to reduce redundant execution of substantially similar first principles simulations by different resources.

Claim 20 (Original): The method of Claim 18, wherein said sharing simulation information comprises distributing model changes among the interconnected resources to reduce redundant refinements of first principles simulations by different resources.

Claim 21 (Original): The method of Claim 18, further comprising using remote resources via a wide area network to facilitate the semiconductor process performed by the semiconductor processing tool.

Claim 22 (Original): The method of Claim 21, wherein said using remote resources comprises using at least one of remote computational and storage resources via a wide area network to facilitate the semiconductor process performed by the semiconductor processing tool.

Claim 23 (Currently Amended): A system comprising:
a semiconductor processing tool configured to perform an actual process;
a fab-level library storing known simulation results obtained from simulation modules
in a device manufacturing fab;
a fab-level process controller distributing the known simulation results to other
semiconductor processing tools in the device manufacturing fab;

a first principles simulation processor configured to input a first principles physical model including a set of computer-encoded differential equations describing at least one of a basic physical or chemical attribute the semiconductor processing tool and including 1) a spatially resolved model of a physical geometry of the semiconductor processing tool and 2) a grid set addressing the semiconductor processing tool or a geometry of the semiconductor processing tool;

an input device configured to input process data related to an actual process being performed by the semiconductor processing tool; and

said first principles simulation processor further configured to:

set ~~initial and~~ boundary conditions for ~~[[a]]~~ the spatially resolved model of a physical geometry of the semiconductor processing tool based on said process data related to the actual process being performed by the semiconductor processing tool,

solve the computer-encoded differential equations of the first principles ~~simulation~~ physical model for the spatially resolved model concurrently with the actual process being performed and in a time frame shorter in time than the actual process being performed by:

using code parallelization techniques on multiple simulation modules
in the device manufacturing fab, and

re-using known simulation solutions as initial conditions for the first principles simulation,

wherein re-using known simulation solutions comprises searching in the fab-level library for a closest fitting solution which if used for the initial condition would reduce the number of iterations required by the simulation module,

provide from the solution of the computer-encoded differential equations solved concurrently with the actual process being performed a first principles simulation result, and

wherein the simulation result is used as part of a data set that characterizes the process performed by the semiconductor processing tool.

Claim 24 (Original): The system of Claim 23, wherein said input device comprises at least one of a physical sensor and a metrology tool physically mounted on the semiconductor processing tool.

Claim 25 (Original): The system of Claim 23, wherein said input device comprises at least one of a manual input device and a database.

Claim 26 (Original): The system of Claim 25, wherein said input device is configured to input data recorded from a process previously performed by the semiconductor processing tool.

Claim 27 (Original): The system of Claim 25, wherein said input device is configured to input data set by a simulation operator.

Claim 28 (Original): The system of Claim 23, wherein said input device is configured to input the data relating to a process performed by the semiconductor processing tool as virtual sensor data from a simulation module.

Claim 29 (Original): The system of Claim 23, wherein said input device is configured to input data relating to at least one of the physical characteristics of the semiconductor processing tool and the semiconductor tool environment.

Claim 30 (Original): The system of Claim 23, wherein said input device is configured to input data relating to at least one of a characteristic and a result of a process performed by the semiconductor processing tool.

Claim 31 (Canceled).

Claim 32 (Original): The system of Claim 23, wherein said processor is configured to input a first principles physical model comprising fundamental equations necessary to perform first principles simulation to obtain a simulation result that can form part of a data set that characterizes the process performed by the semiconductor processing tool.

Claim 33 (Canceled).

Claim 34 (Currently Amended): The system of Claim ~~[[33]]~~ 23, wherein said processor is configured to perform the first principles simulation to provide a simulation result that is a variation of a parameter tested by the concurrent process performed by the semiconductor processing tool.

Claim 35 (Currently Amended): The system of Claim ~~[[33]]~~ 23, wherein said processor is configured to perform the first principles simulation to provide a simulation result relating to a different parameter than a parameter tested by the concurrent process performed by the semiconductor processing tool.

Claim 36 (Canceled).

Claim 37 (Currently Amended): The system of Claim ~~[[33]]~~ 23, wherein said processor is further configured to store the data set in a library for subsequent use processes performed by the semiconductor processing tool.

Claim 38 (Currently Amended): The system of Claim ~~[[33]]~~ 23, further comprising a network of interconnected resources connected to said processor and configured to assist said processor in performing at least one of the inputting a first principles simulation model and performing a first principles simulation.

Claim 39 (Original): The system of Claim 38, wherein said network of interconnected resources is configured to use code parallelization with said processor to share the computational load of the first principles simulation.

Claim 40 (Original): The system of Claim 38, wherein said network of interconnected resources is configured to share simulation information with said processor to facilitate said process performed by the semiconductor processing tool.

Claim 41 (Original): The system of Claim 40, wherein said network of interconnected resources is configured to distribute simulation results to said processor to reduce redundant execution of substantially similar first principles simulations.

Claim 42 (Original): The system of Claim 40, wherein said network of interconnected resources is configured to distribute model changes to said processor to reduce redundant refinements of first principles simulations.

Claim 43 (Original): The system of Claim 38, further comprising remote resources connected to said processor via a wide area network and configured to facilitate the semiconductor process performed by the semiconductor processing tool.

Claim 44 (Original): The system of Claim 43, wherein said remote resources comprise at least one of a computational and a storage resource.

Claims 45 - 47 (Cancelled).

Claim 48 (Currently Amended): At least one of non-volatile media and volatile media containing program instructions for execution on a processor, which when executed by the computer system, cause the processor to perform the steps of:

inputting a first principles physical model including a set of computer-encoded differential equations, the first principles physical model describing at least one of a basic physical or chemical attribute of the semiconductor processing tool and including 1) a spatially resolved model of a physical geometry of the semiconductor processing tool and 2) a grid set addressing the semiconductor processing tool or a geometry of the semiconductor processing tool;

inputting process data related to an actual process being performed by the semiconductor processing tool;

setting ~~initial and~~ boundary conditions for ~~[[a]]~~ the spatially resolved model of a physical geometry of the semiconductor processing tool based on said process data related to the actual process being performed by the semiconductor processing tool;

storing in a fab-level library known simulation results obtained from simulation modules in a device manufacturing fab and distributing the known simulation results to other semiconductor processing tools in the device manufacturing fab;

solving the computer-encoded differential equations of the first principles ~~simulation~~ physical model for the spatially resolved model concurrently with the actual process being performed and in a time frame shorter in time than the actual process being performed by:

using code parallelization techniques on multiple simulation modules in the device manufacturing fab, and

re-using known simulation solutions as initial conditions for the first principles simulation,

wherein re-using known simulation solutions comprises searching in the fab-level library for a closest fitting solution which if used for the initial condition would reduce the number of iterations required by the simulation module;

providing a ~~first principles simulation result~~ from the solution of the computer-encoded differential equations solved concurrently with the actual process being performed a first principles simulation result; and

using the simulation result as part of a data set that characterizes the actual process being performed by the semiconductor processing tool.

Claim 49-51 (Cancelled).